POWELL LANDING AT WATERSOUND ORIGINS PHASE 1-B REPLAT

SHEET INDEX:

ZONE KEY SHEET

1 - DEDICATIONS, CERTIFICATIONS, DESCRIPTION 2 - BOUNDARY LOCATION INFORMATION 3 - COASTAL DUNE LAKE PROTECTION

PLAT BOOK 27, PAGE 12

DEDICATION:

' THESE PRESENTS THAT THE WATERSOUND COMPANY, LLC. WATERSOUND ORIGINS COMMUNITY ASSOCIATION, INC., WHITE BA

RSOUND COMPANY, LLC	ALAN JEFFREY COLLIER, AS TRUSTEE OF THE COLLIER FAMILY TRUST
RECISE, VICE PRESIDENT	BY: ALAN JEFFREY COLLIER
lary Zombori	WITNESS
Mouss	WITNESS WITNESS
UND ORIGINS COMMUNITY ASSOCIATION, INC.	VALERIE BENDALL COLLIER, AS TRUSTEE OF THE COLLIER FAMILY TRUST BY: Valurie Bundall Collier By: Valurie Bundall Collier
10 Stattonoe	Saul Sin
DOS.	WITNESS CUMP OF WILL
	WITNESS
DEVELOPMENT, LLC, A FLORIDA LIMITED LIABILITY COMI	PANY
IG MEMBER WAS KRITTENON	
Jalans 5	

THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME BY MEANS OF WPHYSICAL PRESENCE OR () ONLINE NOTARIZATION THIS BY BRIDGET PRECISE AS VICE PRESIDENT OF THE WATERSOUND COMPANY,

Hay Phillips IOTARY PUBLIC, STATE OFFLORIC

Designation & All Addition My Commission Explica

ACKNOWLEDGMENT TO DEDICATION:

STATE OF FLORIDA, COUNTY OF WALTON

THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME BY MEANS OF (4) PHYSICAL PRESENCE OR () ONLINE NOTARIZATION THIS DAY OF BY BLON CARTER, AS PRESIDENT OF THE WATERSOUND ORIGINS COMMUNITY ASSOCIATION, INC., A FLORIDA NOT FOR PROFIT CORPORATION ON BEHALF OF THE COMPANY, WHO IS PERSONALLY KNOWN TO ME.

NOTARY PURILIC. STATE OF LORIC

MY COMMISSION EXPIRES: November 20, 2027

MY COMMISSION EXPIRES: MOUCHNOC 20, 2027



ACKNOWLEDGMENT TO DEDICATION:

STATE OF FLORIDA, COUNTY OF WALTON

PRODUCED LICENSE AS IDENTIFICATION, ACKNOWLEDGED TO AND BEFORE ME THAT SAID INSTRUMENT IS THE FREE ACT AND DEED OF

NOTARY PUBLIC, STATE OF FLORIDA

MY COMMISSION EXPIRES: NOURMAC 20, 2027



ACKNOWLEDGMENT TO DEDICATION:

THIS IF TO CERTIFY THAT ON THE 2nd DAY OF OCTOBER, 2024, BEFORE ME, AM JOHNY CONTROLLY APPEARED AND WHO

MY COMMISSION EXPIRES: Mey 21, 2026



ACKNOWLEDGMENT TO DEDICATION:

STATE OF FLORIDA, COUNTY OF WALTON

THIS IF TO CERTIFY THAT ON THE DAY OF OCTOBER, 2004, BEFORE ME, VEIENG BAND OF PERSONALLY APPEARED AND WHO IS PERSONALLY KNOWN TO ME TO BE THE INDIVIDUAL DESCRIBED IN AND WHO EXECUTED THE FOREGOING INSTRUMENT OF DEDICATION AS, OR WHO HAS PRODUCED AND INSTRUMENT IS THE FREE ACT AND DEED OF VEIENGE TO AND BEFORE ME THAT SAID INSTRUMENT IS THE FREE ACT AND DEED OF VEIENGE TO AND BEFORE ME THAT SAID INSTRUMENT IS THE FREE ACT AND DEED OF



A MAJOR DEVELOPMENT

A REPLAT OF POWELL LANDING AT WATERSOUND ORIGINS PHASE 1-B AS RECORDED IN PLAT BOOK 27, PAGES 1-3.

SITUATED IN SECTION 25 - TOWNSHIP 3 SOUTH - RANGE 18 WEST

WALTON COUNTY, FLORIDA



VICINITY MAP

LEGAL DESCRIPTION (AS WRITTEN):

BEGINNING AT THE SOUTHWEST CORNER OF POWELL LANDING AT WATERSOUND PHASE 1A AS RECORDED IN PLAT BOOK 25, PAGES 60-64 OF THE PUBLIC RECORDS OF WALTON COUNTY, FLORIDA; THENCE CONTINUE ALONG THE SOUTHERN BOUNDARY OF SAID PLAT FOR THE FOLLOWING 7 CALLS: SOUTH 78 DEGREES 18 MINUTES 19 SECONDS EAST A DISTANCE OF 436.41 FEET TO A POINT, SAID POINT BEING THE POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTHEAST; THENCE ALONG SAID 84 DEGREES 30 MINUTES 39 SECONDS EAST, AND A CHORD LENGTH OF 548.06 FEET TO A POINT, SAID POINT BEING THE POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTHWEST; THENCE ALONG SAID CURVE HAVING A RADIUS OF 525.00 FEET, AN ARC LENGTH OF 329.59 FEET, A CENTRAL ANGLE OF 35 DEGREES 58 MINUTES 11 SECONDS, A CHORD BEARING OF NORTH 71 DEGREES 17 MINUTES 55 SECONDS EAST, AND A CHORD LENGTH OF 324.20 FEET TO A POINT, SAID POINT BEING THE POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTHWEST; THENCE ALONG SAID CURVE HAVING A RADIUS 75.00 FEET, AN ARC LENGTH OF 105.25 FEET, A CENTRAL ANGLE OF 80 DEGREES 24 MINUTES 21 SECONDS, A CHORD BEARING OF NORTH 13 DEGREES 06 MINUTES 39 SECONDS EAST, AND A CHORD LENGTH OF 96.82 FEET TO A POINT; THENCE NORTH 27 DEGREES 05 MINUTES 32 SECONDS WEST A DISTANCE OF 58.12 FEET TO A POINT; THENCE NORTH 62 DEGREES 54 MINUTES 28 SECONDS EAST A DISTANCE OF 140,00 FEET TO A POINT; THENCE NORTH 33 DEGREES 51 MINUTES 24 SECONDS EAST A DISTANCE OF 47.42 FEET TO A POINT; THENCE DEPARTING SAID SOUTHERN BOUNDARY SOUTH 69 DEGREES 05 MINUTES 09 SECONDS EAST A DISTANCE OF 92 FEET MORE OR LESS TO A POINT ON THE ORDINARY HIGH WATER LINE OF LAKE POWELL, SAID POINT BEING THE POINT OF TERMINUS; THENCE RETURN TO THE POINT OF BEGINNING, SAID POINT BEING THE POINT OF CURVATURE OF A CURVE CONCAVE TO THE NORTHEAST; THENCE ALONG SAID SOUTHERN BOUNDARY AND CURVE HAVING A RADIUS OF 50.75 FEET, AN ARC LENGTH 16.17 FEET, A CENTRAL ANGLE OF 18 DEGREES 15 MINUTES 16 SECONDS, A CHORD BEARING OF NORTH 69 DEGREES 10 MINUTES 41 SECONDS WEST, AND A CHORD LENGTH OF 16.10 FEET TO A POINT; THENCE DEPARTING SAID SOUTHERN BOUNDARY SOUTH 11 DEGREES 41 MINUTES 41 SECONDS WEST A DISTANCE OF 179.35 FEET TO A POINT; THENCE SOUTH 89 DEGREES 47 MINUTES 51 SECONDS WEST A DISTANCE OF 13.15 FEET TO A POINT; THENCE SOUTH 01 DEGREES 27 MINUTES 47 SECONDS WEST A DISTANCE OF 100 FEET MORE OR LESS TO A POINT ON THE ORDINARY HIGH WATER LINE OF LAKE POWELL; THENCE MEANDER SOUTHEASTERLY AND NORTHEASTERLY ALONG THE ORDINARY HIGH WATER LINE OF LAKE POWELL TO THE POINT OF TERMINUS.

PLANNING AND DEVELOPMENT SERVICES DIVISION:

THIS CERTIFIES THAT THIS PLAT WAS PRESENTED TO THE PLANNING AND DEVELOPMENT SERVICES DIVISION OF WALTON COUNTY, FLORIDA AND APPROVED ON THE DAY OF OCCUPANTY.

WALTON COUNTY PLANNING AND DEVELOPMENT SERVICES DIVISION


BOARD OF COUNTY COMMISSIONERS APPROVAL AND ACCEPTANCE:

THIS IS TO CERTIFY THAT THIS PLAT WAS PRESENTED TO THE BOARD OF COUNTY COMMISSIONERS OF WALTON COUNTY, FLORIDA AND WAS APPROVED BY THE BOARD ON THE DAY OF DAY OF _______, IN THE YEAR ______; THIS APPROVAL BY THE BOARD IS SUBJECT TO ALL THE CONDITIONS, ALLOWANCES AND LIMITATIONS AS DEFINED BY WALTON COUNTY DEVELOPMENT ORDER NOS. MAJ21-000019, LTM23-000023, MIN23-000060, AND LTM24-000056 FOR THIS PLAT AND AS DEDICATED, NOTICED AND GRAPHICALLY SHOWN ON THIS PLAT AS EVIDENCED BY THE SIGNATURE OF THE CHAIR BELOW.

SURVEYOR'S CERTIFICATES

THE UNDERSIGNED HEREBY ACKNOWLEDGES THAT THIS PLAT WAS PREPARED UNDER HIS DIRECTION AND SUPERVISION, PERMANENT REFERENCE MONUMENTS HAVE BEEN SET, AND THAT THIS PLAT WAS PREPARED IN COMPLIANCE WITH THE SURVEY REQUIREMENTS OF CHAPTER 177, PART 1, PLATTING, OF THE FLORIDA STATUTES.

PROFESSIONAL LAND SURVEYOR FLORIDA REGISTRATION NUMBER #7186 INNERLIGHT ENGINEERING CORPORATION CERTIFICATE OF AUTHORIZATION, LICENSED BUSINESS 11490 EMERALD COAST PARKWAY MIRAMAR BEACH, FLORIDA 32550 850.424.5855 ~ TELEPHONE



NOTICE:

NOTICE: THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIVIDED LANDS DESCRIBED HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY ANY OTHER GRAPHIC OR DIGITAL FORM OF THE PLAT. THERE MAY BE

GRANTED TO OR OBTAINED BY A PARTICULAR ELECTRIC. TELEPHONE, GAS, OR OTHER PUBLIC UTILITY. SUCH CONSTRUC

COUNTY CLERK'S APPROVAL:

RECORD ON THE UP DAY OF OCTOBER 1 ALEX ALFORDA, DO HEREBY CERTIFY THAT THIS PLAT WAS FILED FOR THE RECORD ON THE DAY OF OCTOBER 12000 PAGE 12-14.

COUNTY ENGINEER'S CERTIFICATE:

THIS CERTIFIES THAT THIS PLAT WAS PRESENTED TO AND APPROVED BY THE COUNTY ENGINEER OF WALTON COUNTY, FLORIDA. THIS 15T DAY OF OCTOBER

ANDERN WARD - COUNTY ENGINEER.
FLORIDA REGISTRATION CERTIFICATE NUMBER 83767

COUNTY SURVEYOR'S APPROVAL:

COTT W. ROSENHEIM, PSM WALION COUNTY SURVEYOR FLORIDA CERTIFICATE NUMBER ~ LS 5634

UTILITY COMPANY APPROVAL AND CERTIFICATION:

(POTABLE WATER AND/OR SANITARY SEWER)

FLORIDA COMMUNITY SERVICES CORP. OF WALTON COUNTY D/B/A REGIONAL UTILITIES HEREBY EXECUTES THIS PLAT FOR THE SOLE PURPOSE OF CONFIRMING THAT IT HAS THE CAPACITY TO SERVE THE PROPERTY THAT IS THE SUBJECT OF THIS PLAT. REGIONAL UTILITIES IS PREPARED TO ACCEPT THE DEVELOPER INSTALLED WATER/SEWER SYSTEM FOR SAID PROPERTY AFTER COMPLETED INSTALLATION BY DEVELOPER AND CERTIFICATION OF THE SYSTEM BY THE FLORIDA DEPARTMENT OF ENVIRONMENTAL PROTECTION.

TITLE CERTIFICATION:

THE UNDERSIGNED ATTORNEY LICENSED BY THE STATE OF FLORIDA HEREBY CERTIFIES THAT UPON EXAMINATION OF THE PUBLIC RECORDS THE TITLE TO THE LANDS DESCRIBED HEREON IS IN THE NAME OF THE WATERSOUND COMPANY, LLC, A FLORIDA LIMITED LIABILITY COMPANY, WATERSOUND ORIGINS COMMUNITY ASSOCIATION, INC., A FLORIDA NOT-FOR-PROFIT CORPORATION, WHITE BAY DEVELOPMENT, LLC, A FLORIDA LIMITED LIABILITY COMPANY, AND ALAN JEFFREY COLLIER AND VALERIE BENDALL COLLIER, AS TRUSTEES

Chur Ban J. CHRISTOPHER BARR, FSO

WALTON COUNTY STATEMENT:

ALL PUBLIC AREAS SHOWN ON THIS PLAT, UNLESS OTHERWISE STATED, SHALL BE DEEMED TO HAVE BEEN DEDICATED TO THE PUBLIC FOR the uses and purposes hereon stated. However, nothing herein shall be construed as creating an obligation upon WALTON COUNTY TO PERFORM ANY ACT OF CONSTRUCTION OR MAINTENANCE WITHIN SUCH DEDICATED AREAS, EXCEPT WHEN THE OBLIGATION IS VOLUNTARILY ACCEPTED BY THE GOVERNING BODY OF WALTON COUNTY, FLORIDA. THE MERE RECORDING OF THIS PLAT DOES NOT CONSTITUTE ACCEPTANCE FOR ANY ACT OF CONSTRUCTION OR MAINTENANCE.



11490 EMERALD COAST PARKWAY, SUITE 2W MIRAMAR BEACH | FLORIDA | 32550 LB#7927 | TELEPHONE: 850.424.5855

POWELL LANDING AT WATEROUND ORIGINS PHASE 1-B REPLAT

PLAT BOOK <u>27</u>, PAGE <u>12</u>.

SHEET 1 OF 3


POWELL LANDING AT WATERSOUND ORIGINS PHASE 1-B REPLAT

PLAT BOOK 27, PAGE 13

SHEET INDEX:

3 - COASTAL DUNE LAKE PROTECTION **ZONE KEY SHEET**

A REPLAT OF POWELL LANDING AT WATERSOUND ORIGINS PHASE 1-B AS RECORDED IN PLAT BOOK 27, PAGES 1-3. A MAJOR DEVELOPMENT



10. SETBACKS SHOWN HEREON ARE AS FOLLOWS: FRONT: 15', SIDE: 5', AND REAR: 10'.

CHORD BEARING

BASE FLOOD ELEVATION

PLAT BOOK <u>27</u>, PAGE <u>13</u>

SHEET 2 OF 3

POWELL LANDING AT WATERSOUND ORIGINS PHASE 1-B REPLAT

A REPLAT OF POWELL LANDING AT WATERSOUND ORIGINS PHASE 1-B AS RECORDED IN PLAT BOOK 27, PAGES 1-3.

A MAJOR DEVELOPMENT

SITUATED IN SECTION 25 - TOWNSHIP 3 SOUTH - RANGE 18 WEST

PLAT BOOK <u>27</u>, PAGE <u>14</u>. **SHEET INDEX:** 2 - BOUNDARY LOCATION INFORMATION 3 - COASTAL DUNE LAKE PROTECTION S44° 50' 38"W 7.72' THIS PLAT, AS RECORDED IN ITS GRAPHIC FORM, IS THE OFFICIAL DEPICTION OF THE SUBDIVIDED LANDS DESCRIBED HEREIN AND WILL IN NO CIRCUMSTANCES BE SUPPLANTED IN AUTHORITY BY ANY OTHER GRAPHIC OR DIGITAL FORM OF THIS PLAT. THERE MAY BE ADDITIONAL RESTRICTIONS THAT ARE NOT RECORDED ON THIS PLAT THAT MAY BE FOUND IN THE PUBLIC WALTON COUNTY STATEMENT ALL PUBLIC AREAS SHOWN ON THIS PLAT, UNLESS OTHERWISE STATED, SHALL BE DEEMED TO HAVE BEEN DEDICATED TO THE PUBLIC FOR THE USES AND PURPOSES HEREON STATED. HOWEVER, NOTHING HEREIN SHALL BE CONSTRUED AS CREATING AN OBLIGATION UPON WALTON COUNTY TO PERFORM ANY ACT OF CONSTRUCTION OR MAINTENANCE WITHIN SUCH DEDICATED AREAS, EXCEPT WHEN THE OBLIGATION IS VOLUNTARILY ACCEPTED BY THE GOVERNING BODY OF WALTON COUNTY, FLORIDA. THE MERE RECORDING OF THIS PLAT DOES NOT CONSTITUTE ACCEPTANCE FOR THE APPLIED SCIENCE OF SUCCESS

11490 EMERALD COAST PARKWAY, SUITE 2W

MIRAMAR BEACH | FLORIDA | 32550

LB#7927 | TELEPHONE: 850.424.5855

POWELL LANDING AT WATEROUND ORIGINS PHASE 1-B REPLAT

SHEET 3 OF 3

PLAT BOOK <u>27</u>, PAGE <u>14</u>.

WALTON COUNTY, FLORIDA -N19° 49' 13"W 11.25' L=84.33', R=100.00' -**∆**=48°18'57", CL=81.85, CB=S01° 38' 45"W PLAT BOOK 25, PAGES 60-64 L=260.27', R=300.00' Δ=49°42'31", CL=252.19,— CB=SQ2° 20' 32"W S89° 47' 51"W 32.24 `S22° 30' 44'E 8.44'— \$1.2° 07' 34"E 25.48"-\$21° 49' 18"E 60.22"--S21° 49' 18''E 77.59 \$21° 27' 45"W 51.91' -S89° 47' 51"W 7.0 S14° 29' 11"W 51.70'-LOT 70 ~__S45° 59' 52"W~33.32' -N67° 55' 07"W 31.17' -\$59°\18'\18''W 37.51' N719 42' 56"W 110,73'-N63º 44' 56"W 32:03'-LOT 78 LOT 77 **LOT 74** CONSERVATION EASEMENT -LOT 75 (O.R. BOOK 2783, PAGE 25) **NOTICE** - APPROXIMATE LOCATION OF RECORDS OF THIS COUNTY. ORDINARY HIGH WATER LINE N72° 09' 23"W 21.94'-**GENERAL NOTES** N77° 37' 46"W 1.21 THIS PLAT IS BASED UPON A BOUNDARY SURVEY BY THIS FIRM AND WAS PREPARED IN ACCORDANCE WITH THE STANDARDS OF PRACTICE FOR PROFESSIONAL SURVEYORS AND MAPPERS AS DEFINED IN CHAPTER 5J-17.051 OF THE FLORIDA ADMINISTRATIVE CODE AS SET FORTH BY THE FLORIDA CONSERVATION EASEMENT — BOARD OF PROFESSIONAL SURVEYORS AND MAPPERS PURSUANT TO SECTION 472.027 OF THE FLORIDA STATUTES. (O.R. BOOK 2783, PAGE 25) SOURCES OF INFORMATION RELIED UPON FOR THE PREPARATION OF THIS PLAT INCLUDES THE FOLLOWING: FIELD RECOVERED MONUMENTATION AND **ABBREVIATIONS** DEEDS, PLATS AND OTHER DOCUMENTATION AS NOTED HEREON. LEGEND RIGHT-OF-WAY THIS PLAT DOES NOT REFLECT RESEARCH BY INNERLIGHT ENGINEERING CORPORATION REGARDING TITLE OR EASEMENT. THERE MAY EXIST: DEEDS OF ANY ACT OF CONSTRUCTION OR MAINTENANCE. NORTH RECORD, UNRECORDED DEEDS, PLATS, UNRECORDED PLATS, EASEMENTS, RIGHT-OF-WAYS, OR OTHER INSTRUMENTS THAT MAY AFFECT THIS PARCEL. SOUTH PERMANENT REFERENCE MONUMENT (PRM) NORTH AND THE BEARINGS DEPICTED HERON ARE BASED UPON THE STATE PLANE COORDINATE SYSTEM ~ FLORIDA NORTH ZONE, NORTH AMERICAN DATUM SET 1/2" IRON PIN (PRM 7927)

PERMANENT REFERENCE MONUMENT (PRM)

FOUND 1/2" IRON PIN (PRM 7927)

SET NAIL & DISK (PCP 7927)

CONSERVATION EASEMENT (O.R. BOOK 2783, PAGE 25)

WETLAND BUFFER

WETLANDS

PARCEL'A'

PERMANENT CONTROL POINT (PCP)

LAKE POWELL

LICENSED BUSINESS

DIMENSION

MORE OR LESS

UTILITY EASEMENT

CHORD LENGTH

CHORD BEARING

BUILDING SETBACK LINE

BASE FLOOD ELEVATION

MINIMUM FINISHED FLOOR ELEVATION

INCHES WHEN USED IN A DIMENSION

DEGREES WHEN USED IN A BEARING OR ANGLE

MINUTES WHEN USED IN A BEARING OR ANGLE

SECONDS WHEN USED IN A BEARING OR ANGLE

FEET OR DECIMAL THEREOF WHEN USED IN A

8. ALL WETLANDS AND WETLAND BUFFERS SHALL REMAIN UNCLEARED, UNDISTURBED, AND INTACT.

MINIMUM FINISHED FLOOR AND BASE FLOOD ELEVATIONS SHOWN HERE ARE BASED ON A GRADING AND DRAINAGE PLAN PRODUCED BY THIS FIRM DATED

AREAS OF LESS THAN ONE SQUARE MILE. ZONE X). NO CERTIFICATION ARE MADE REGARDING THE ACCURACY OF SAID F.I.R.M.

NO UNDERGROUND INSTALLATIONS OR IMPROVEMENTS INCLUDING, BUT NOT LIMITED TO, UTILITIES, FOUNDATIONS, FOOTERS, HUMAN BURIAL SITES, AND

FEDERAL EMERGENCY MANAGEMENT AGENCY (F.E.M.A.), FLOOD INSURANCE RATE MAP (F.I.R.M.) 12131C0717H AND 12131C0736H, BEING PANEL 717

AND 736 OF 738, EFFECTIVE DATE OF DECEMBER 30, 2020, INDICATES THAT THE SUBJECT PARCEL IS LOCATED IN ZONE "X", AE (EL 10), AND ZONE "X" OTHER

AREAS (0.2% ANNUAL CHANCE FLOOD HAZARD, AREAS OF 1% ANNUAL CHANCE FLOOD WITH AVERAGE DEPTH LESS THAN ON FOOT OR WITH DRAINAGE

10. SETBACKS SHOWN HEREON ARE AS FOLLOWS: FRONT: 15', SIDE: 5', AND REAR: 10'.

6. ALL LOT LINES DEPICTED HEREON ARE NON-RADIAL (N.R.) UNLESS OTHERWISE NOTED.

OF 1983 (NAD83) UTILIZING THE TRIMBLE ACCESS GPS NETWORK.

CEMETERIES, WERE LOCATED, EXCEPT AS SHOWN.